

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<!-- edited with XMLSPY v2004 rel. 3 U (http://www.xmlspy.com) by Seljuk (SHU) -->
```

```
<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
```

```
xmlns:ncl="http://www.ncl.edu.tw/ChineseMARC3/2004/7/1"
```

```
elementFormDefault="qualified" attributeFormDefault="unqualified" version="1.0"
```

```
xml:lang="zh">
```

```
<xsd:annotation>
```

```
<xsd:documentation>
```

Chinese MARC Schema Definition

Prepared by Shien-chiang Yu

July 1, 2004 - Version 1.0 - Coding first (Initial Release)

方式一：詳細定義。包括各欄號(Tag)包含之指標與分欄均逐一定義

方式二：完全參照 MARC21 之 Schema 定義，透過屬性 id 紀錄欄

號、分欄之編號

命名規則：字首不可為數字，因此

1. 欄位前標記「Tag」以示區隔
2. 分欄前標記「_」以示區隔

```
</xsd:documentation>
```

```
</xsd:annotation>
```

```
<!--
```

Collection : <<根元素>>包含所有書目紀錄

```
-->
```

```
<xsd:element name="collection" type="collectionType" nillable="true" id="collection"/>
```

```
<xsd:complexType name="collectionType" id="collection">
```

```
<xsd:sequence maxOccurs="unbounded">
```

```
<xsd:element name="record" type="recordType" nillable="true" id="record"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="id" type="idDataType" use="optional"/>
```

```
</xsd:complexType>
```

```
<!--
```

Record: 包含單一書目紀錄之所有欄位內容, 其下包含 1. leader, 2. controlfield,

3. datafield 三部份

```
-->
```

```
<xsd:complexType name="recordType" id="record">
```

```
<xsd:sequence minOccurs="0">
```

```
<xsd:element name="leader" type="leaderFieldType"/>
```

```
<xsd:element name="controlfield" type="controlFieldType"/>
```

```
<xsd:element name="datafield" type="dataFieldType"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="id" type="idDataType" use="optional"/>
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="leaderFieldType" ncl:chiName="記錄標示"
```

```
ncl:engName="Record Label">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="24"/>
```

```
<xsd:whiteSpace value="preserve"/>
```

```
<xsd:pattern
```

```
value="[d]{5}(c|d|n|o|p)[a-npru]{1}(a|c|m|s)[0-2]{1}(0| )(2)(2)[d]{5}( |1|2|3)( |n|i)( )(450)(0| )"
```

```
/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<!--
```

controlFieldType 特徵：不包含 Indicator，tag001、005 不具備分欄；tag009 具

備一分欄 a

命名規則：字首不可數字，因此欄號前標記「tag」以示區隔

-->

```
<xsd:complexType name="controlFieldType" id="controlFieldType">
```

```
<xsd:sequence>
```

```
<xsd:element name="tag001" ncl:chiName="記錄識別欄"
```

```
ncl:engName="Record Identifier"/>
```

```
<xsd:element name="tag005" type="xsd:dateTime" ncl:chiName="最後更新
```

```
時間" ncl:engName="Version Identifier"/>
```

```
<xsd:element name="tag009" type="tag009Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="各館系統控制號" ncl:engName="Other System
```

```
Control Numbers"/>
```

```
</xsd:sequence>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag009Type" id="009Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" type="xsd:string" minOccurs="0" ncl:chiName="各
```

```
館系統控制號" ncl:engName="Other Systems Control Number"/>
```

```
</xsd:sequence>
```

```
</xsd:complexType>
```

<!--

dataFieldType (010~999)特徵：包含兩位元 Indicator，具備分欄

-->

```
<xsd:complexType name="dataFieldType" id="dataFieldType">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="tag010" type="tag010Type" minOccurs="0"
```

```
      maxOccurs="unbounded" ncl:chiName="國際標準書號" ncl:engName="International  
      Standard Book Number ( ISBN ) "/>
```

```
    <xsd:element name="tag011" type="tag011Type" minOccurs="0"
```

```
      maxOccurs="unbounded" ncl:chiName="國際標準叢刊號" ncl:engName="International  
      Standard Serial Number ( ISSN ) "/>
```

```
    <xsd:element name="tag020" type="tag020Type" minOccurs="0"
```

```
      maxOccurs="unbounded" ncl:chiName="國家書目號" ncl:engName="National Bibliography  
      Number"/>
```

```
    <xsd:element name="tag021" type="tag020Type" minOccurs="0"
```

```
      maxOccurs="unbounded" ncl:chiName="送繳編號" ncl:engName="Legal Deposit  
      Number"/>
```

```
    <xsd:element name="tag022" type="tag020Type" minOccurs="0"
```

```
      maxOccurs="unbounded" ncl:chiName="官書編號" ncl:engName="Government
```

Publication Number"/>

<xsd:element name="tag025" type="tag025Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="銷售號 / 庫存號" ncl:engName="Sales Number /
Stock Number"/>

<xsd:element name="tag040" type="tag040Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="叢刊代碼" ncl:engName="CODEN (Serials) "/>

<xsd:element name="tag042" type="tag042Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="審查機構代碼" ncl:engName="Authentication
Agency Code"/>

<xsd:element name="tag050" type="tag050Type" ncl:chiName="國立中央圖

書館卡片號" ncl:engName="National Central Library Card Number"/>

<xsd:element name="tag071" type="tag071Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="出版者資料編號 (適用於錄音資料與樂譜) "

ncl:engName="Publisher's Number (Sound Recordings and Music) "/>

<xsd:element name="tag100" type="tag100Type" minOccurs="0"

ncl:chiName="一般性資料" ncl:engName="General Processing Data"/>

<xsd:element name="tag101" type="tag101Type" ncl:chiName="作品語文"

ncl:engName="Language of the Item"/>

<xsd:element name="tag102" type="tag102Type" minOccurs="0"

ncl:chiName="出版國別" ncl:engName="Country of Publication or Production"/>

<xsd:element name="tag105" type="tag105Type" minOccurs="0"

ncl:chiName="資料代碼欄：圖書、善本書" ncl:engName="Coded Data Field：Textual
Material, Monographic, Chinese Rare Book"/>

<xsd:element name="tag106" type="tag106Type" minOccurs="0"

ncl:chiName="資料代碼欄：文字資料形式特性" ncl:engName="Coded Data Field：Textual
Materials - Physical Attributes"/>

<xsd:element name="tag110" type="tag110Type" minOccurs="0"

ncl:chiName="資料代碼欄：連續性出版品" ncl:engName="Coded Data Field：Serials"/>

<xsd:element name="tag115" type="tag115Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="資料代碼欄：投影資料、錄影資料、影片"

ncl:engName="Coded Data Fields：Visual Projections, Videorecordings and Motion
Pictures"/>

<xsd:element name="tag116" type="tag116Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="資料代碼欄：圖片" ncl:engName="Coded Data
Field：Graphics"/>

<xsd:element name="tag120" type="tag120Type" ncl:chiName="資料代碼

欄：地圖資料——一般性" ncl:engName="Coded Data Field：Cartographic Materials -

General"/>

<xsd:element name="tag121" type="tag121Type" minOccurs="0"

ncl:chiName="資料代碼欄：地圖資料形式特性" ncl:engName="Coded Data Field :
Cartographic Materials : Physical Attributes"/>

<xsd:element name="tag122" type="tag122Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="資料代碼欄：作品涵蓋時間" ncl:engName="Coded
Data Field : Time Period of Item Content"/>

<xsd:element name="tag123" type="tag123Type" maxOccurs="unbounded"

ncl:chiName="資料代碼欄：地圖資料—比例尺與座標" ncl:engName="Coded Data Field :
Cartographic Materials - Scale and Co-ordinates"/>

<xsd:element name="tag124" type="tag124Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="資料代碼欄：地圖資料—特殊資料類型"
ncl:engName="Coded Data Field : Cartographic Materials - Specific Material Designation
Analysis"/>

<xsd:element name="tag125" type="tag125Type" minOccurs="0"

ncl:chiName="資料代碼欄：樂譜資料與非音樂性錄音資料" ncl:engName="Coded Data
Field : Sound Recordings and Printed Music"/>

<xsd:element name="tag126" type="tag126Type" minOccurs="0"

ncl:chiName="資料代碼欄：錄音資料形式特性" ncl:engName="Coded Data Field : Sound
Recordings - Physical Attributes"/>

<xsd:element name="tag127" type="tag127Type" minOccurs="0"

ncl:chiName="資料代碼欄：錄音資料播放或樂譜演奏之時間" ncl:engName="Coded Data
Field : Duration of Sound Recordings and Printed Music"/>

<xsd:element name="tag128" type="tag128Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="資料代碼欄：音樂演奏作品" ncl:engName="Coded
Data Field : Music Performances and Scores"/>

<xsd:element name="tag129" type="tag129Type" minOccurs="0"

ncl:chiName="資料代碼欄：拓片" ncl:engName="Coded Data Field : Rubbings"/>

<xsd:element name="tag130" type="tag130Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="資料代碼欄：縮影資料形式特性"
ncl:engName="Coded Data Field : Microforms - Physical Attributes"/>

<xsd:element name="tag131" type="tag131Type" minOccurs="0"

ncl:chiName="資料代碼欄：地圖資料—大地、網格、垂直測量" ncl:engName="Coded Data
Field : Cartographic Materials - Geodetic, Grid and Vertical Measurement"/>

<xsd:element name="tag135" type="tag135Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="資料代碼欄：電腦檔" ncl:engName="Coded Data
Field : Electronic Resources"/>

<xsd:element name="tag200" type="tag200Type" ncl:chiName="題名及著者

敘述項" ncl:engName="Title and Statement of Responsibility"/>

```
<xsd:element name="tag204" type="tag204Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="資料類型標示" ncl:engName="General Material
Designation"/>
```

```
<xsd:element name="tag205" type="tag205Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="版本項" ncl:engName="Edition Statement"/>
```

```
<xsd:element name="tag206" type="tag206Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="資料特殊細節項：地圖資料—製圖細節"
ncl:engName="Material Specific Area：Cartographic Materials - Mathematical Data"/>
```

```
<xsd:element name="tag207" type="tag207Type" minOccurs="0"
ncl:chiName="資料特殊細節項：連續性出版品—卷期編次" ncl:engName="Material Specific
Area：Serials Numbering"/>
```

```
<xsd:element name="tag208" type="tag208Type" minOccurs="0"
ncl:chiName="資料特殊細節項：樂譜形式" ncl:engName="Material Specific Area：Printed
Music Specific Statement"/>
```

```
<xsd:element name="tag209" type="tag209Type" minOccurs="0"
ncl:chiName="資料特殊細節項：電腦檔" ncl:engName="Material Specific Area：Electronic
Resource"/>
```

```
<xsd:element name="tag210" type="tag210Type" minOccurs="0"
ncl:chiName="出版項" ncl:engName="Publication, Distribution, etc."/>
```

<xsd:element name="tag211" type="tag211Type" minOccurs="0"

ncl:chiName="預定出版日期" ncl:engName="Projected Publication Date"/>

<xsd:element name="tag215" type="tag215Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="稽核項" ncl:engName="Physical Description"/>

<xsd:element name="tag225" type="tag225Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="集叢項" ncl:engName="Series"/>

<xsd:element name="tag300" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="一般註" ncl:engName="General Notes"/>

<xsd:element name="tag301" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="識別號碼註" ncl:engName="Notes Pertaining to
Identification Numbers"/>

<xsd:element name="tag302" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="代碼資料註" ncl:engName="Notes Pertaining to
Coded Information"/>

<xsd:element name="tag303" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="著錄依據註" ncl:engName="General Notes
Pertaining to Descriptive Information"/>

<xsd:element name="tag304" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="題名及著者敘述項註" ncl:engName="Notes

Pertaining to Title and Statement of Responsibility"/>

```
<xsd:element name="tag305" type="tag300Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="版本項及書目歷史註" ncl:engName="Notes
```

Pertaining to Edition and Bibliographic History"/>

```
<xsd:element name="tag306" type="tag300Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="出版項註" ncl:engName="Notes Pertaining to
```

```
Publication, Distribution, etc."/>
```

```
<xsd:element name="tag307" type="tag300Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="稽核項註" ncl:engName="Notes Pertaining to
```

```
Physical Description"/>
```

```
<xsd:element name="tag308" type="tag300Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="集叢項註" ncl:engName="Notes Pertaining to
```

```
Series"/>
```

```
<xsd:element name="tag310" type="tag300Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="裝訂及發行性質註" ncl:engName="Notes
```

```
Pertaining to Binding and Availability"/>
```

```
<xsd:element name="tag311" type="tag300Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="連接欄註" ncl:engName="Notes Pertaining to
```

```
Linking Fields"/>
```

<xsd:element name="tag312" type="tag300Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="相關題名註" ncl:engName="Notes Pertaining to
Related Titles"/>

<xsd:element name="tag314" type="tag300Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="著者註" ncl:engName="Notes Pertaining to
Intellectual Responsibility"/>

<xsd:element name="tag315" type="tag300Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="特殊細節註" ncl:engName="Notes Pertaining to
Material (or Type of Publication) Specific Information"/>

<xsd:element name="tag316" type="tag300Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="卷數註" ncl:engName="Notes Pertaining to
Number of Chuan"/>

<xsd:element name="tag320" type="tag300Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="書目、索引、附錄等註" ncl:engName="Internal
Bibliographies / Indexes Note"/>

<xsd:element name="tag321" type="tag321Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="被索引、摘要及引用註" ncl:engName="External
Indexes / Abstracts / References Note"/>

<xsd:element name="tag322" type="tag300Type" minOccurs="0"

ncl:chiName="演出者註 (適用於放映、錄影、錄音資料) " ncl:engName="Cast Note
(Projected and Video Material and Sound Recordings) "/>

<xsd:element name="tag323" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="演出者註 (適用於放映、錄影、錄音資料) "

ncl:engName="Cast Note (Projected and Video Material and Sound Recordings) "/>

<xsd:element name="tag324" type="tag300Type" minOccurs="0"

ncl:chiName="影鈔註" ncl:engName="Facsimile Note"/>

<xsd:element name="tag326" type="tag326Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="刊期註" ncl:engName="Frequency Statement

Note (Serials) "/>

<xsd:element name="tag327" type="tag327Type" minOccurs="0"

ncl:chiName="內容註" ncl:engName="Contents Note"/>

<xsd:element name="tag328" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="學位論文註" ncl:engName="Dissertation(Thesis)

Note"/>

<xsd:element name="tag330" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="提要註" ncl:engName="Summary or Abstract"/>

<xsd:element name="tag333" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="使用者 / 適用對象註" ncl:engName="Users /

Intended Audience Note"/>

<xsd:element name="tag336" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="電腦檔資料型式註" ncl:engName="Type of

Electronic Resource Note"/>

<xsd:element name="tag337" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="技術細節註 (電腦檔)" ncl:engName="Technical

Details Note (Electronic Resource) "/>

<xsd:element name="tag339" type="tag300Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="館藏註" ncl:engName="Holdings Note"/>

<xsd:element name="tag345" type="tag345Type" minOccurs="0"

ncl:chiName="採訪資料註" ncl:engName="Acquisition Information Note"/>

<xsd:element name="tag410" type="tag400Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="集叢" ncl:engName="Series"/>

<xsd:element name="tag411" type="tag400Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="附屬集叢" ncl:engName="Subseries"/>

<xsd:element name="tag421" type="tag400Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="補篇" ncl:engName="Supplement"/>

<xsd:element name="tag422" type="tag400Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="本篇" ncl:engName="Parent of Supplement"/>

<xsd:element name="tag423" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="合刊、合訂" ncl:engName="Issued with"/>

<xsd:element name="tag430" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="繼續" ncl:engName="Continues"/>

<xsd:element name="tag431" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="衍自" ncl:engName="Continues in Part"/>

<xsd:element name="tag434" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="合併" ncl:engName="Absorbed"/>

<xsd:element name="tag435" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="部份合併" ncl:engName="Absorbed in Part"/>

<xsd:element name="tag436" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="由___及___合併而成" ncl:engName="Formed by
Merger of ..., ..., and ..."/>

<xsd:element name="tag440" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="改名" ncl:engName="Continued by"/>

<xsd:element name="tag441" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="部份衍成" ncl:engName="Continued in Part by"/>

<xsd:element name="tag444" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="併入" ncl:engName="Absorbed by"/>

<xsd:element name="tag445" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="部份併入" ncl:engName="Absorbed in Part
by"/>

<xsd:element name="tag446" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="衍成" ncl:engName="Split into..., ..., and ..."/>

<xsd:element name="tag447" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="與___及___合併成___" ncl:engName="Merged
with ... and ... to Form ..."/>

<xsd:element name="tag448" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="恢復原題名" ncl:engName="Changed Back to"/>

<xsd:element name="tag451" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="同一媒體之其他版本" ncl:engName="Other
Edition in The Same Medium"/>

<xsd:element name="tag452" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="不同一媒體之其他版本" ncl:engName="Other
Edition in Another Medium"/>

<xsd:element name="tag453" type="tag400Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="譯作" ncl:engName="Translated as"/>

<xsd:element name="tag454" type="tag400Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="譯自" ncl:engName="Translation of"/>

<xsd:element name="tag461" type="tag400Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="總集" ncl:engName="Set"/>

<xsd:element name="tag462" type="tag400Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="分集" ncl:engName="Subset"/>

<xsd:element name="tag463" type="tag400Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="單冊" ncl:engName="Piece"/>

<xsd:element name="tag464" type="tag400Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="單冊分析" ncl:engName="Piece - Analytic"/>

<xsd:element name="tag488" type="tag400Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="其他相關作品" ncl:engName="Other Related
Work"/>

<xsd:element name="tag500" type="tag500Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="劃一題名" ncl:engName="Uniform Title"/>

<xsd:element name="tag501" type="tag501Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="總集劃一題名" ncl:engName="Collective Uniform
Title"/>

<xsd:element name="tag503" type="tag503Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="劃一習用標目" ncl:engName="Uniform

Conventional Heading"/>

```
<xsd:element name="tag510" type="tag510Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="並列題名" ncl:engName="Parallel Title Proper"/>
```

```
<xsd:element name="tag512" type="tag512Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="封面題名" ncl:engName="Cover Title"/>
```

```
<xsd:element name="tag513" type="tag513Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="附加書名頁題名" ncl:engName="Added
```

```
Title-page Title"/>
```

```
<xsd:element name="tag514" type="tag514Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="卷端題名" ncl:engName="Caption Title"/>
```

```
<xsd:element name="tag515" type="tag515Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="逐頁題名" ncl:engName="Running Title"/>
```

```
<xsd:element name="tag516" type="tag516Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="書背題名" ncl:engName="Spine Title"/>
```

```
<xsd:element name="tag517" type="tag517Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="其他題名" ncl:engName="Other Variant Titles"/>
```

```
<xsd:element name="tag520" type="tag520Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="舊題名 ( 適用於連續性出版品 ) "
```

```
ncl:engName="Former Title ( Serials ) "/>
```

```
<xsd:element name="tag530" type="tag530Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="識別題名 ( 適用於連續性出版品 )"
ncl:engName="Key Title ( Serials ) "/>
```

```
<xsd:element name="tag531" type="tag531Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="簡略題名 ( 適用於連續性出版品 )"
ncl:engName="Abbreviated Title ( Serials ) "/>
```

```
<xsd:element name="tag532" type="tag532Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="完整題名" ncl:engName="Expanded Title"/>
```

```
<xsd:element name="tag540" type="tag540Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="編目員附加題名" ncl:engName="Additional Title
Supplied by Cataloguer"/>
```

```
<xsd:element name="tag541" type="tag541Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="編目員翻譯題名" ncl:engName="Translated Title
Supplied by Cataloguer"/>
```

```
<xsd:element name="tag600" type="tag600Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="人名標題" ncl:engName="Personal Name Used
as Subject"/>
```

```
<xsd:element name="tag601" type="tag601Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="團體名稱標題" ncl:engName="Corporate Body
```

Name Used as Subject"/>

```
<xsd:element name="tag602" type="tag602Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="家族名稱標題" ncl:engName="Family Name Used  
as Subject"/>
```

```
<xsd:element name="tag604" type="tag604Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="著者 / 題名標題" ncl:engName="Name and Title  
Used as Subject"/>
```

```
<xsd:element name="tag605" type="tag605Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="題名標題" ncl:engName="Title Used as  
Subject"/>
```

```
<xsd:element name="tag606" type="tag606Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="主題標題" ncl:engName="Topical Name Used as  
Subject"/>
```

```
<xsd:element name="tag607" type="tag606Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="地名標題" ncl:engName="Geographical Name  
Used as Subject"/>
```

```
<xsd:element name="tag608" type="tag608Type" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="輔助檢索項 ( 善本書 )" ncl:engName="Auxiliary  
Access Field ( for Chinese Rare Books Only ) "/>
```

```
<xsd:element name="tag610" type="tag610Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="非控制主題詞彙" ncl:engName="Uncontrolled
Subject Terms"/>
```

```
<xsd:element name="tag620" type="tag620Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="輔助檢索項 ( 出版地、製作地等 )"
ncl:engName="Place Access"/>
```

```
<xsd:element name="tag626" type="tag626Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="技術細節檢索項 ( 電腦檔 )"
ncl:engName="Technical Details Access ( Electronic Resources ) "/>
```

```
<xsd:element name="tag660" type="tag660Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="地區代碼" ncl:engName="Geographic Area Code
( GAC ) "/>
```

```
<xsd:element name="tag661" type="tag661Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="年代代碼" ncl:engName="Time Period Code"/>
```

```
<xsd:element name="tag670" type="tag670Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="前後關係索引法 " ncl:engName="Precis"/>
```

```
<xsd:element name="tag675" type="tag675Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="國際十進分類號 " ncl:engName="Universal
Decimal Classification ( UDC ) "/>
```

```
<xsd:element name="tag676" type="tag676Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="杜威十進分類號 " ncl:engName="Dewey Decimal
Classification ( DDC ) "/>
```

```
<xsd:element name="tag680" type="tag680Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="美國國會圖書館分類號" ncl:engName="Library of
Congress Classification"/>
```

```
<xsd:element name="tag681" type="tag681Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="中國圖書館分類號 " ncl:engName="Chinese
Classification Scheme ( CCS ) "/>
```

```
<xsd:element name="tag682" type="tag680Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="農業資料中心分類號" ncl:engName="Agricultural
Science Information Center ( ASIC ) Classification Scheme"/>
```

```
<xsd:element name="tag686" type="tag680Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="美國國立醫學圖書館分類號"
ncl:engName="National Library of Medicine Classification"/>
```

```
<xsd:element name="tag687" type="tag687Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="其他分類號" ncl:engName="Other Class
Numbers"/>
```

```
<xsd:element name="tag700" type="tag700Type" minOccurs="0"
```

maxOccurs="unbounded" ncl:chiName="人名—主要著者" ncl:engName="Personal Name
- Primary Intellectual Responsibility"/>

<xsd:element name="tag770" type="tag770Type" minOccurs="0"

ncl:chiName="人名 (羅馬拼音 / 中譯作品之著者原名) - 主要著者"

ncl:engName="Personal Name (Romanization / Original Name of Translated Works) -
Primary Intellectual Responsibility"/>

<xsd:element name="tag701" type="tag700Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="人名 - 合著者或其他相當主要著者"

ncl:engName="Personal Name - Alternative Intellectual Responsibility"/>

<xsd:element name="tag771" type="tag770Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="人名 (羅馬拼音 / 中譯作品之著者原名) - 合著
者或其他相當主要著者" ncl:engName="Personal Name (Romanization / Original Name of
Translated Works) - Alternative Intellectual Responsibility"/>

<xsd:element name="tag702" type="tag702Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="人名—輔助著者" ncl:engName="Personal Name
- Secondary Intellectual Responsibility"/>

<xsd:element name="tag772" type="tag770Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="人名 (羅馬拼音 / 中譯作品之著者原名) - 輔助著
者" ncl:engName="Personal Name (Romanization / Original Name of Translated Works)

- Secondary Intellectual Responsibility"/>

<xsd:element name="tag710" type="tag710Type" minOccurs="0"

ncl:chiName="團體名稱—主要著者" ncl:engName=""/>

<xsd:element name="tag780" type="tag780Type" minOccurs="0"

ncl:chiName="團體名稱 (羅馬拼音 / 中譯作品之著者原名) - 主要著者"

ncl:engName="Corporate Body Name (Romanization / Original Name of Translated Works) - Primary Intellectual Responsibility"/>

<xsd:element name="tag711" type="tag710Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="團體名稱 - 合著者或其他相當主要著者"

ncl:engName="Corporate Body Name - Alternative Intellectual Responsibility"/>

<xsd:element name="tag781" type="tag780Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="團體名稱 (羅馬拼音 / 中譯作品之著者原名) 合著者或其他相當主要著者" ncl:engName="Corporate Body Name (Romanization / Original Name of Translated Work) - Alternative Intellectual Responsibility"/>

<xsd:element name="tag712" type="tag712Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="團體名稱—輔助著者" ncl:engName="Corporate Body Name - Secondary Intellectual Responsibility"/>

<xsd:element name="tag782" type="tag780Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="團體名稱 (羅馬拼音 / 中譯作品之著者原名) - 輔

助著者" ncl:engName="Corporate Body Name (Romanization / Original Name of Translated Works) - Secondary Intellectual Responsibility"/>

<xsd:element name="tag720" type="tag720Type" minOccurs="0"

ncl:chiName="家族名稱 - 主要著者" ncl:engName="Family Name - Primary Intellectual Responsibility"/>

<xsd:element name="tag790" type="tag720Type" minOccurs="0"

ncl:chiName="家族名稱 (羅馬拼音 / 中譯作品之著者原名) - 主要著者"

ncl:engName="Family Name (Romanization / Original Name of Translated Works) - Primary Intellectual Responsibility"/>

<xsd:element name="tag721" type="tag720Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="家族名稱 - 合著者或其他相當主要著者"

ncl:engName="Family Name - Alternative Intellectual Responsibility"/>

<xsd:element name="tag791" type="tag720Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="家族名稱 (羅馬拼音 / 中譯作品之著者原名) - 合

著者或其他相當主要著者" ncl:engName="Family Name (Romanization / Original Name of Translated Works) - Alternative Intellectual Responsibility"/>

<xsd:element name="tag722" type="tag720Type" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="家族名稱 - 輔助著者" ncl:engName="Family Name - Secondary Intellectual Responsibility"/>

```
<xsd:element name="tag792" type="tag720Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="家族名稱 ( 羅馬拼音 / 中譯作品之著者原名 ) - 輔
助著者" ncl:engName="Family Name( Romanization / Original Name of Translated Works )
- Secondary Intellectual Responsibility"/>
```

```
<xsd:element name="tag801" type="tag801Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="出處欄" ncl:engName="Originating Source"/>
```

```
<xsd:element name="tag802" type="tag802Type" minOccurs="0"
ncl:chiName="國際叢刊資料系統中心" ncl:engName="ISDS Centre"/>
```

```
<xsd:element name="tag805" type="tag805Type" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="館藏記錄" ncl:engName="Local Library Holdings
"/>
```

```
</xsd:sequence>
```

```
</xsd:complexType>
```

```
<!--
```

```
  ** 分欄定義 **
```

```
-->
```

```
<xsd:complexType name="tag010Type" id="010Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" ncl:chiName="號碼" ncl:engName="Number
```

(ISBN) "/>

<xsd:element name="_b" minOccurs="0" ncl:chiName="裝訂及其他區別字樣

" ncl:engName="Qualification"/>

<xsd:element name="_c" minOccurs="0" ncl:chiName="發行性質 / 價格"

ncl:engName="Terms of Availability and / or Price"/>

<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="取消 / 錯誤號碼" ncl:engName="Erroneous ISBN"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" " />

</xsd:complexType>

<xsd:complexType name="tag011Type" id="011Type">

<xsd:sequence>

<xsd:element name="_a" minOccurs="0" ncl:chiName="號碼"

ncl:engName=" Number (ISSN) "/>

<xsd:element name="_b" minOccurs="0" ncl:chiName="裝訂及其他區別字樣

" ncl:engName="Qualification"/>

<xsd:element name="_d" minOccurs="0" ncl:chiName="發行性質 / 價格"

ncl:engName="Terms of Availability and / or Price"/>

```
        <xsd:element name="_y" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="取消之號碼" ncl:engName="Cancelled ISSN"/>
```

```
        <xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="錯誤號碼" ncl:engName="Erroneous ISSN"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<!-- type tag020 提供欄號 020、021、022 共用-->
```

```
<xsd:complexType name="tag020Type" id="020Type">
```

```
<xsd:sequence>
```

```
        <xsd:element name="_a" minOccurs="0" ncl:chiName="國家代碼"
```

```
ncl:engName=" Country Code"/>
```

```
        <xsd:element name="_b" minOccurs="0" ncl:chiName="號碼"
```

```
ncl:engName="Number"/>
```

```
        <xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="取消 / 錯誤號碼" ncl:engName="Erroneous Number"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" "/>
```

```
<xsd:attribute name="ind2" use="required" fixed="" />
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag025Type" id="025Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="銷售號、庫存號及其他字樣" ncl:engName="Sales Number / Stock  
Number"/>
```

```
<xsd:element name="_b" minOccurs="0" ncl:chiName="來源(編號機構)"
```

```
ncl:engName="Source ( agency assigning number ) "/>
```

```
<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="取消 / 錯誤號碼" ncl:engName="Cancelled / invalid number"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed="" />
```

```
<xsd:attribute name="ind2" use="required" fixed="" />
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag040Type" id="040Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" minOccurs="0" ncl:chiName="叢刊代碼"
```

```
ncl:engName="CODEN"/>
```

```
<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="錯誤號碼" ncl:engName="Erroneous CODEN"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" "/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag042Type" id="042Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="機構代碼" ncl:engName="Authentication Agency Code"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" "/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag050Type" id="050Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" minOccurs="0" ncl:chiName="號碼"
```

```
ncl:engName="NCL Card Number"/>
```

```
<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"
```

ncl:chiName="取消 / 錯誤號碼" ncl:engName="Erroneous Number"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed="" />

<xsd:attribute name="ind2" use="required" fixed="" />

</xsd:complexType>

<xsd:complexType name="tag071Type" id="071Type">

<xsd:sequence>

<xsd:element name="_a" minOccurs="0" ncl:chiName="出版者資料編號"

ncl:engName="Publisher's Number"/>

<xsd:element name="_b" minOccurs="0" ncl:chiName="來源"

ncl:engName="Source"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<!--

1 XX 「代碼資料段」欄位內容宣告

-->

<xsd:complexType name="tag100Type" id="100Type">


```

<xsd:sequence>

    <xsd:element name="_a" type="tag100aFieldType" ncl:chiName="一般性資
料" ncl:engName="General Processing Data"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:simpleType name="tag100aFieldType">

    <xsd:restriction base="xsd:string">

        <xsd:length value="35"/>

        <xsd:whiteSpace value="preserve"/>

        <xsd:pattern
value="\d{8}[a-gy]{1}[\d ]{4}[\d ]{4}[a-zA-z]{3}[a-huyz]{1}(0|1)[a-z]{3}(a|b|c|y)(01|02|03|04
|05|06|09)[\da-zA-Z]{4}[a-lz]{1}"/>

    </xsd:restriction>

</xsd:simpleType>

<xsd:complexType name="tag101Type" id="101Type">

    <xsd:sequence>

        <xsd:element name="_a" minOccurs="0" maxOccurs="unbounded"

```

ncl:chiName="正文語文" ncl:engName="Language of Text"/>

<xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="據以翻譯之譯文語文" ncl:engName="Language of Intermediate Text when
Item is Not Translated from Original"/>

<xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="原文" ncl:engName="Language of Original Work"/>

<xsd:element name="_d" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="提要語文" ncl:engName="Language of Summary"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="目次語文" ncl:engName="Language of Contents Page"/>

<xsd:element name="_f" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="題名頁語文(別於正文時)" ncl:engName="Language of Title Page if Different
from Text"/>

<xsd:element name="_g" minOccurs="0" ncl:chiName="正題名語文 (如非正

文語文)" ncl:engName="Language of Title Proper if Not First Language of Text"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="歌詞語文 (適用於錄音及文字資料並存時)" ncl:engName="Language of
Libretto, etc."/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="附件語文 (別於摘要、歌詞時)" ncl:engName="Language of Accompanying
Material (Other than Summaries, Abstracts or Librettos) "/>

<xsd:element name="_j" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="影片字幕語文" ncl:engName="Language of Subtitles"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" " />

</xsd:complexType>

<xsd:complexType name="tag102Type" id="102Type">

<xsd:sequence>

<xsd:element name="_a" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="出版國別" ncl:engName="Country of Publication"/>

<xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="出版地區" ncl:engName="Locality of Publication"/>

<xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="出版縣市" ncl:engName="County / City of Publication"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" " />

<xsd:attribute name="ind2" use="required" fixed=" " />

```
</xsd:complexType>
```

```
<xsd:complexType name="tag105Type" id="105Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" type="tag105aFieldType" ncl:chiName="圖書之資料代碼" ncl:engName="Monograph Coded Data"/>
```

```
  </xsd:sequence>
```

```
  <xsd:attribute name="ind1" use="required" fixed=" "/>
```

```
  <xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag105aFieldType">
```

```
  <xsd:restriction base="xsd:string">
```

```
    <xsd:length value="13"/>
```

```
    <xsd:whiteSpace value="preserve"/>
```

```
    <xsd:pattern value="[a-z]{4}[a-z]{4}(0|1)(0|1)(0|1)(a-h|y|z)(a-d|y)"/>
```

```
  </xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag106Type" id="106Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" type="tag106aFieldType"
```

maxOccurs="unbounded" ncl:chiName="文字資料形式代碼" ncl:engName="Textual

Material Coded Data - Physical Medium Designator"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:simpleType name="tag106aFieldType">

<xsd:restriction base="xsd:string">

<xsd:length value="1"/>

<xsd:pattern value="(d|e|f|g|h|i|j|r|z)"/>

</xsd:restriction>

</xsd:simpleType>

<xsd:complexType name="tag110Type" id="110Type">

<xsd:sequence>

<xsd:element name="_a" type="tag110aFieldType" ncl:chiName="連續性出

版品之資料代碼" ncl:engName="Serial Coded Data"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag110aFieldType">
```

```
  <xsd:restriction base="xsd:string">
```

```
    <xsd:length value="11"/>
```

```
    <xsd:whiteSpace value="preserve"/>
```

```
    <xsd:pattern
```

```
value="(a|b|c|z)(a-z)(a|b|u|y)(a-z)[a-z]{3}(0|1)(a-g|u|x|y|z)(a-m|u|x|y|z)"/>
```

```
  </xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag115Type" id="115Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" type="tag115aFieldType" minOccurs="0"
```

```
ncl:chiName="資料代碼 ( 一般性 )" ncl:engName="Coded Data - General"/>
```

```
    <xsd:element name="_b" type="tag115bFieldType" minOccurs="0"
```

```
ncl:chiName="影片代碼 ( 存檔資料 )" ncl:engName="Motion Picture Coded Data -
```

```
Archival"/>
```

```
  </xsd:sequence>
```

```
  <xsd:attribute name="ind1" use="required" fixed=" " />
```

```
  <xsd:attribute name="ind2" use="required" fixed=" " />
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag115aFieldType">
```

```
  <xsd:restriction base="xsd:string">
```

```
    <xsd:length value="20"/>
```

```
    <xsd:whiteSpace value="preserve"/>
```

```
    <xsd:pattern value="(a|b|c)[d]{3}(a-c|u|z)(a|b|u|z)(a-i|z|u|y)[a-z]{13}"/>
```

```
  </xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:simpleType name="tag115bFieldType">
```

```
  <xsd:restriction base="xsd:string">
```

```
    <xsd:length value="15"/>
```

```
    <xsd:whiteSpace value="preserve"/>
```

```
    <xsd:pattern value="[a-z]{9}[\d]{6}"/>
```

```
  </xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag116Type" id="116Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" type="tag116FieldType" ncl:chiName="圖片資料之
```

```
代碼" ncl:engName="Coded Data for Graphics"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed="" />
```

```
<xsd:attribute name="ind2" use="required" fixed="" />
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag116FieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="4"/>
```

```
<xsd:pattern value="[a-z]"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag120Type" id="120Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" type="tag120FieldType" ncl:chiName="地圖資料之
```

```
代碼 ( 一般性 ) " ncl:engName="Cartographic Material Coded Data ( General ) "/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed="" />
```

```
<xsd:attribute name="ind2" use="required" fixed="" />
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag120FieldType">
```



```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="13"/>
```

```
<xsd:pattern value="[a-z]"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag121Type" id="121Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" type="tag121aFieldType" minOccurs="0"
```

```
ncl:chiName="地圖資料之形式特性 ( 一般性 )" ncl:engName="Cartographic Material
```

```
Coded Data : Physical attributes ( General ) "/>
```

```
<xsd:element name="_b" type="tag121bFieldType" minOccurs="0"
```

```
ncl:chiName="航空照像及遙測形式代碼" ncl:engName="Aerial Photography and Remote
```

```
Sensing Coded Data : Physical Attributes"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" "/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag121aFieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="9"/>
```

```
<xsd:pattern value="[a-z]"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:simpleType name="tag121bFieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="8"/>
```

```
<xsd:whiteSpace value="preserve"/>
```

```
<xsd:pattern value="[a-z]{2}[\d|xx]{2}(a-d)[\d]{1}[\da-z]{2}"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag122Type" id="122Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" type="tag122aFieldType"
```

```
maxOccurs="unbounded" ncl:chiName="作品涵蓋時間" ncl:engName="Time period, 9999
```

```
B.C. to present"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag122aFieldType">
```

```
  <xsd:restriction base="xsd:string">
```

```
    <xsd:maxLength value="11"/>
```

```
    <xsd:pattern value="(c|d)[\d]{10}"/>
```

```
  </xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag123Type" id="123Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" type="tag123aFieldType" ncl:chiName="比例尺型式" ncl:engName="Type of Scale"/>
```

```
    <xsd:element name="_b" minOccurs="0" maxOccurs="unbounded" ncl:chiName="水平比例尺" ncl:engName="Constant Ratio Linear Horizontal Scale"/>
```

```
    <xsd:element name="_c" minOccurs="0" maxOccurs="unbounded" ncl:chiName="垂直比例尺" ncl:engName="Constant Ratio Linear Vertical Scale"/>
```

```
    <xsd:element name="_d" type="tag123dFieldType" minOccurs="0" ncl:chiName="座標—最西邊之經度" ncl:engName="Co-ordinates - Westernmost Longitude"/>
```

```
    <xsd:element name="_e" type="tag123dFieldType" minOccurs="0"
```

ncl:chiName="座標—最東邊之經度" ncl:engName="Co-ordinates - Easternmost
Longitude"/>

<xsd:element name="_f" type="tag123dFieldType" minOccurs="0"

ncl:chiName="座標—最北邊之經度" ncl:engName="Co-ordinates - Northernmost
Latitude"/>

<xsd:element name="_g" type="tag123dFieldType" minOccurs="0"

ncl:chiName="座標—最南邊之經度" ncl:engName="Co-ordinates - Southernmost
Latitude"/>

<xsd:element name="_h" type="tag123hFieldType" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="角比例尺" ncl:engName="Angular Scale"/>

<xsd:element name="_i" type="tag123dFieldType" minOccurs="0"

ncl:chiName="赤緯 (向北天極) " ncl:engName="Declination - Northern Limit"/>

<xsd:element name="_j" type="tag123dFieldType" minOccurs="0"

ncl:chiName="赤緯 (向南天極) " ncl:engName="Declination - Southern Limit"/>

<xsd:element name="_k" type="tag123kFieldType" minOccurs="0"

ncl:chiName="赤經 (東端) " ncl:engName="Right ascension - Eastern Limits"/>

<xsd:element name="_m" type="tag123kFieldType" minOccurs="0"

ncl:chiName="赤經 (西端) " ncl:engName="Right ascension - Western Limits"/>

<xsd:element name="_n" minOccurs="0" ncl:chiName=" 晝夜平分點"

```
ncl:engName="Equinox"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag123aFieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="1"/>
```

```
<xsd:pattern value="(a|b|z)"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:simpleType name="tag123dFieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="8"/>
```

```
<xsd:whiteSpace value="preserve"/>
```

```
<xsd:pattern value="(w|e|n|s)[d]{7}"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:simpleType name="tag123hFieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
  <xsd:length value="4"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:simpleType name="tag123kFieldType">
```

```
  <xsd:restriction base="xsd:string">
```

```
    <xsd:length value="6"/>
```

```
    <xsd:whiteSpace value="preserve"/>
```

```
    <xsd:pattern value="[d]{6}"/>
```

```
  </xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag124Type" id="124Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" type="tag124aFieldType" minOccurs="0"
```

```
ncl:chiName="影像性質" ncl:engName="Character of Image"/>
```

```
    <xsd:element name="_b" type="tag124FieldType" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="地圖形式" ncl:engName="Form of Cartographic  
Item"/>
```

```
    <xsd:element name="_c" type="tag124cFieldType" minOccurs="0"
```

maxOccurs="unbounded" ncl:chiName="照相或非照相影像之顯像技術"

ncl:engName="Presentation Technique for Photographic or Non-Photographic Image"/>

<xsd:element name="_d" type="tag124FieldType" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="照相或遙測影像之載臺位置"

ncl:engName="Position of Platform for Photographic or Remote Sensing Image"/>

<xsd:element name="_e" type="tag124FieldType" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="遙測影像之太空衛星種類"

ncl:engName="Category of Satellite for Remote Sensing Image"/>

<xsd:element name="_f" type="tag124FieldType" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="遙測影像之太空衛星名稱" ncl:engName="Name
of Satellite for Remote Sensing Image"/>

<xsd:element name="_g" type="tag124FieldType" minOccurs="0"

maxOccurs="unbounded" ncl:chiName="遙測影像之錄影技術" ncl:engName="Recording
Technique for Remote Sensing Image"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed="" />

<xsd:attribute name="ind2" use="required" fixed="" />

</xsd:complexType>

<xsd:simpleType name="tag124aFieldType">

```
<xsd:restriction base="xsd:string">
```

```
  <xsd:length value="1"/>
```

```
  <xsd:enumeration value="_a"/>
```

```
  <xsd:enumeration value="_b"/>
```

```
  <xsd:enumeration value="_c"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:simpleType name="tag124cFieldType">
```

```
  <xsd:restriction base="xsd:string">
```

```
    <xsd:length value="2"/>
```

```
    <xsd:pattern value="(a|d)[a-z]{1}"/>
```

```
  </xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:simpleType name="tag124FieldType">
```

```
  <xsd:restriction base="xsd:string">
```

```
    <xsd:length value="1"/>
```

```
    <xsd:pattern value="[a-z]"/>
```

```
  </xsd:restriction>
```

```
</xsd:simpleType>
```



```
<xsd:complexType name="tag125Type" id="125Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" type="tag125FieldType" minOccurs="0"
```

```
ncl:chiName="樂譜資料代碼" ncl:engName="Format of Printed Music"/>
```

```
    <xsd:element name="_b" type="tag125FieldType" minOccurs="0"
```

```
ncl:chiName="錄音資料代碼( 非音樂性 )" ncl:engName="Literary Text Indicator( Non-Music  
Performance ) "/>
```

```
  </xsd:sequence>
```

```
  <xsd:attribute name="ind1" use="required" fixed=" " />
```

```
  <xsd:attribute name="ind2" use="required" fixed=" " />
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag125FieldType">
```

```
  <xsd:restriction base="xsd:string">
```

```
    <xsd:length value="2"/>
```

```
    <xsd:pattern value="[a-z]"/>
```

```
  </xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag126Type" id="126Type">
```

```
  <xsd:sequence>
```

```
<xsd:element name="_a" type="tag126aFieldType" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="錄音資料代碼 ( 一般性 )" ncl:engName="Sound
Recording Coded Data ( General ) "/>
```

```
<xsd:element name="_b" type="tag126bFieldType" minOccurs="0"
ncl:chiName="錄音資料代碼 ( 詳細資料 )" ncl:engName="Sound Recording Coded Data
( Detail ) "/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" " />
```

```
<xsd:attribute name="ind2" use="required" fixed=" " />
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag126aFieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="15"/>
```

```
<xsd:pattern value="[a-z]"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:simpleType name="tag126bFieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="3"/>
```

```
<xsd:pattern value="[a-z]"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag127Type" id="127Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" type="xsd:dateTime" maxOccurs="unbounded"
```

```
ncl:chiName="時間" ncl:engName="Duration"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" " />
```

```
<xsd:attribute name="ind2" use="required" fixed=" " />
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag128Type" id="128Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" type="tag128aFieldType" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="作曲形式( 音樂演奏或樂譜 )" ncl:engName="Form  
of Composition"/>
```

```
<xsd:element name="_b" type="tag128FieldType" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="合奏或合唱 ( 音樂演奏或樂譜 )" "
```

```
ncl:engName="Instruments or Voices for Ensemble"/>
```

```
<xsd:element name="_c" type="tag128FieldType" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="獨奏或獨唱 ( 音樂演奏或樂譜 )"
ncl:engName="Instruments or Voices for Soloists"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:simpleType name="tag128aFieldType">

<xsd:restriction base="xsd:string">

<xsd:length value="2"/>

<xsd:pattern value="[a-z]"/>

</xsd:restriction>

</xsd:simpleType>

<xsd:simpleType name="tag128FieldType">

<xsd:restriction base="xsd:string">

<xsd:maxLength value="4"/>

<xsd:pattern value="[a-z]"/>

</xsd:restriction>

</xsd:simpleType>
```

```
<xsd:complexType name="tag129Type" id="129Type">
  <xsd:sequence>
    <xsd:element name="_a" type="tag129FieldType" ncl:chiName="拓片之資料
代碼" ncl:engName="Rubbing material coded data"/>
  </xsd:sequence>
  <xsd:attribute name="ind1" use="required" fixed=" "/>
  <xsd:attribute name="ind2" use="required" fixed=" "/>
</xsd:complexType>
<xsd:simpleType name="tag129FieldType">
  <xsd:restriction base="xsd:string">
    <xsd:length value="7"/>
    <xsd:pattern value="[a-z]"/>
  </xsd:restriction>
</xsd:simpleType>
<xsd:complexType name="tag130Type" id="130Type">
  <xsd:sequence>
    <xsd:element name="_a" type="tag130FieldType" maxOccurs="unbounded"
ncl:chiName="微縮資料形式特性" ncl:engName="Microform Coded Data - Physical
Attributes"/>
  </xsd:sequence>
</xsd:complexType>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" " />
```

```
<xsd:attribute name="ind2" use="required" fixed=" " />
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag130FieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="11"/>
```

```
<xsd:pattern value="[a-z]"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag131Type" id="131Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" type="tag131FieldType" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="球形體" ncl:engName="Spheroid"/>
```

```
<xsd:element name="_b" type="tag131FieldType" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="水平基準面" ncl:engName="Horizontal Datum"/>
```

```
<xsd:element name="_c" type="tag131FieldType" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="主要網格與座標系統" ncl:engName="Grid and  
Referencing System"/>
```

```
<xsd:element name="_d" type="tag131FieldType" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="重疊與座標系統 " ncl:engName="Overlapping
and Referencing System"/>
```

```
<xsd:element name="_e" type="tag131FieldType" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="次級網格與座標系統" ncl:engName=""/>
```

```
<xsd:element name="_f" type="tag131FieldType" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="垂直基準面" ncl:engName="Vertical Datum"/>
```

```
<xsd:element name="_g" type="tag131FieldType" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="高程測量單位" ncl:engName="Unit of
Measurement of Heighting"/>
```

```
<xsd:element name="_h" type="tag131hFieldType" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="等高線間距" ncl:engName="Contour Interval"/>
```

```
<xsd:element name="_i" type="tag131FieldType" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="助曲線間距" ncl:engName="Supplementary
Contour Interval"/>
```

```
<xsd:element name="_j" type="tag131hFieldType" minOccurs="0"
maxOccurs="unbounded" ncl:chiName="海深測量單位 " ncl:engName="Unit
Measurement of Bathymetry"/>
```

```
<xsd:element name="_k" type="tag131hFieldType" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="等深線間距" ncl:engName="Bathymetric  
Interval"/>
```

```
<xsd:element name="_l" type="tag131hFieldType" minOccurs="0"
```

```
maxOccurs="unbounded" ncl:chiName="助等深線間距" ncl:engName="Supplementary  
Bathymetric Interval"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" " />
```

```
<xsd:attribute name="ind2" use="required" fixed=" " />
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag131FieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="2"/>
```

```
<xsd:pattern value="[a-z]"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:simpleType name="tag131hFieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="4"/>
```

```
<xsd:pattern value="[a-z]"/>
```


</xsd:restriction>

</xsd:simpleType>

<xsd:complexType name="tag135Type" id="135Type">

<xsd:sequence>

<xsd:element name="_a" type="tag135FieldType" minOccurs="0"

ncl:chiName="電腦檔資料代碼" ncl:engName="Coded Data for Electronic Resources"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:simpleType name="tag135FieldType">

<xsd:restriction base="xsd:string">

<xsd:length value="1"/>

<xsd:pattern value="[a-z]"/>

</xsd:restriction>

</xsd:simpleType>

<!--

2XX 「著錄段」欄位內容宣告

-->

```
<xsd:complexType name="tag200Type" id="200Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" maxOccurs="unbounded" ncl:chiName="正題名"
```

```
    ncl:engName="Title Proper"/>
```

```
    <xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"
```

```
    ncl:chiName="合刊本其他著者之作品" ncl:engName="Title Proper by Another Author"/>
```

```
    <xsd:element name="_d" minOccurs="0" maxOccurs="unbounded"
```

```
    ncl:chiName="並列題名" ncl:engName="Parallel Title Proper"/>
```

```
    <xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"
```

```
    ncl:chiName="副題名及其他題名資料" ncl:engName="Other Title Information"/>
```

```
    <xsd:element name="_f" minOccurs="0" maxOccurs="unbounded"
```

```
    ncl:chiName="第一著者敘述" ncl:engName="First Statement of Responsibility"/>
```

```
    <xsd:element name="_g" minOccurs="0" maxOccurs="unbounded"
```

```
    ncl:chiName="第二及依次之著者敘述" ncl:engName="Subsequent Statement of  
    Responsibility"/>
```

```
    <xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"
```

```
    ncl:chiName="編次" ncl:engName="Number of a part"/>
```

```
    <xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"
```

```
    ncl:chiName="編次名稱" ncl:engName="Name of a part"/>
```

<xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"

ncl:engName="Number of Chuan"/>

<xsd:element name="_v" minOccurs="0" ncl:chiName="冊次號"

ncl:engName="Volume Designation"/>

<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="並列題名之語文" ncl:engName="Language of Parallel Title Proper"/>

<xsd:element name="_r" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="題名之羅馬拼音" ncl:engName="Romanization of Title Proper"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag204Type" id="204Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="資料類型標示"

ncl:engName="General Material Designation"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag205Type" id="205Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="版本敘述" ncl:engName="Edition
Statement"/>

<xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="版本其他名稱敘述" ncl:engName="Issue Statement"/>

<xsd:element name="_d" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="並列版敘述" ncl:engName="Parallel Edition Statement"/>

<xsd:element name="_f" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="版本之第一著者敘述" ncl:engName="Statement of Responsibility Relating to
Edition"/>

<xsd:element name="_g" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="版本之第二及依次之著者敘述" ncl:engName="Subsequent Statement of
Responsibility"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed="" />

<xsd:attribute name="ind2" use="required" fixed="" />

</xsd:complexType>

```
<xsd:complexType name="tag206Type" id="206Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" ncl:chiName="製圖細節"
```

```
    ncl:engName="Mathematical Data Statement"/>
```

```
  </xsd:sequence>
```

```
  <xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
  <xsd:attribute name="ind2" use="required" fixed="" />
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag207Type" id="207Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" maxOccurs="unbounded" ncl:chiName="卷期、年份
```

```
    編次" ncl:engName="Numbering : Dates and Volume Designations"/>
```

```
    <xsd:element name="_z" minOccurs="0" ncl:chiName="卷期編次來源"
```

```
    ncl:engName="Source of Numbering Information"/>
```

```
  </xsd:sequence>
```

```
  <xsd:attribute name="ind1" use="required" fixed="" />
```

```
  <xsd:attribute name="ind2" type="indicatorDataType" use="required"/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag208Type" id="208Type">
```

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="樂譜" ncl:engName="Printed Music

Specific Statement"/>

<xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="並列樂譜形式" ncl:engName="Parallel Printed Music Specific

Statement(s)"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed="" />

<xsd:attribute name="ind2" use="required" fixed="" />

</xsd:complexType>

<xsd:complexType name="tag209Type" id="209Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="檔案型態 (記錄或程式敘述之數量)"

ncl:engName="Type of Electronic Resource"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed="" />

<xsd:attribute name="ind2" use="required" fixed="" />

</xsd:complexType>

<xsd:complexType name="tag210Type" id="210Type">

<xsd:sequence>

<xsd:element name="_a" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="出版地，經銷地等" ncl:engName="Place of Publication, Distribution, etc."/>

<xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="出版者，經銷者等住址" ncl:engName="Address of Publisher, Distributor,
etc."/>

<xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="出版者，經銷者等名稱" ncl:engName="Name of Publisher, Distributor, etc."/>

<xsd:element name="_d" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="出版，經銷等日期" ncl:engName="Date of Publication, Distribution, etc."/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="印製地" ncl:engName="Place of Manufacture"/>

<xsd:element name="_f" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="印製者位址" ncl:engName="Address of Manufacturer"/>

<xsd:element name="_g" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="印製者名稱" ncl:engName="Name of Manufacturer"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="印製日期" ncl:engName="Date of Manufacture"/>

</xsd:sequence>

```
<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag211Type" id="211Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" type="tag211FieldType" ncl:chiName="出版日期"
```

```
ncl:engName="Date"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" "/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:simpleType name="tag211FieldType">
```

```
<xsd:restriction base="xsd:string">
```

```
<xsd:length value="4"/>
```

```
<xsd:pattern value="[d]{4}"/>
```

```
</xsd:restriction>
```

```
</xsd:simpleType>
```

```
<xsd:complexType name="tag215Type" id="215Type">
```

```
<xsd:sequence>
```


<xsd:element name="_a" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="數量(面數, 冊數或其他)" ncl:engName="Specific Material Designation and
Extent of Item"/>

<xsd:element name="_b" minOccurs="0" ncl:chiName="插圖及其他稽核細節

" ncl:engName="Other Physical Details"/>

<xsd:element name="_d" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="高廣、尺寸" ncl:engName="Dimensions"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="附件" ncl:engName="Accompanying Material"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag225Type" id="225Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="集叢名" ncl:engName="Series

Title"/>

<xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="並列集叢名" ncl:engName="Parallel Series Title"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="集叢副題名" ncl:engName="Other Title Information"/>

<xsd:element name="_f" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="著者敘述" ncl:engName="Statement of Responsibility"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次" ncl:engName="Number of a part"/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次名稱" ncl:engName="Name of a part"/>

<xsd:element name="_v" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="集叢號" ncl:engName="Volume Designation"/>

<xsd:element name="_x" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="集叢之國際標準業刊號" ncl:engName="ISSN of Series"/>

<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="並列集叢名之語文" ncl:engName="Language of Parallel Title"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="集叢名之羅馬拼音"

ncl:engName="Romanization of Series Statement"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<!--

3XX 「附註段」欄位內容宣告

-->

<xsd:complexType name="tag300Type" id="300Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="附註" ncl:engName="Text of Note"/>

<xsd:element name="_u" minOccurs="0" ncl:chiName="國際書目交換用之附

註" ncl:engName="United languages"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed="" />

<xsd:attribute name="ind2" use="required" fixed="" />

</xsd:complexType>

<xsd:complexType name="tag321Type" id="321Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="被索引、摘要及引用之書目註"

ncl:engName="Indexes, Abstracts, References Note"/>

<xsd:element name="_b" minOccurs="0" ncl:chiName="日期"

ncl:engName="Dates of Coverage

```
"/>      <xsd:element name="_x" minOccurs="0" ncl:chiName="ISSN"
ncl:engName="International Standard Serial Number ( ISSN ) "/>
      <xsd:element name="_u" minOccurs="0" ncl:chiName="國際書目交換用之附
註" ncl:engName="United Languages"/>
    </xsd:sequence>
    <xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
    <xsd:attribute name="ind2" use="required" fixed=" "/>
  </xsd:complexType>
  <xsd:complexType name="tag326Type" id="326Type">
    <xsd:sequence>
      <xsd:element name="_a" ncl:chiName="刊期" ncl:engName="Frequency"/>
      <xsd:element name="_b" minOccurs="0" ncl:chiName="日期"
ncl:engName="Dates of Frequency"/>
      <xsd:element name="_u" minOccurs="0" ncl:chiName="國際書目交換用之附
註" ncl:engName="United Languages"/>
    </xsd:sequence>
    <xsd:attribute name="ind1" use="required" fixed=" "/>
    <xsd:attribute name="ind2" use="required" fixed=" "/>
  </xsd:complexType>
```

```
<xsd:complexType name="tag327Type" id="327Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" maxOccurs="unbounded" ncl:chiName="內容註細  
目" ncl:engName="Entry in Contents Note"/>
```

```
  </xsd:sequence>
```

```
  <xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
  <xsd:attribute name="ind2" use="required" fixed=" " />
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag345Type" id="345Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" maxOccurs="unbounded" ncl:chiName="採訪來源  
之名稱或地址" ncl:engName="Source for Acquisition / Subscription Address"/>
```

```
    <xsd:element name="_b" maxOccurs="unbounded" ncl:chiName="庫存號碼"  
ncl:engName="Stock Number"/>
```

```
    <xsd:element name="_c" maxOccurs="unbounded" ncl:chiName="媒體形式"  
ncl:engName="Medium"/>
```

```
    <xsd:element name="_d" maxOccurs="unbounded" ncl:chiName="發行性質  
/ 價格" ncl:engName="Terms of Availability"/>
```

```
    <xsd:element name="_p" maxOccurs="unbounded" ncl:chiName="郵撥帳號
```

及帳戶" ncl:engName="Postal Remittance Account"/>

<xsd:element name="_t" maxOccurs="unbounded" ncl:chiName="電話"

ncl:engName="Telephone Number"/>

<xsd:element name="_u" maxOccurs="unbounded" ncl:chiName="國際書目

交換用之附註" ncl:engName="United Languages"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<!--

4XX 「連接款目段」欄位內容宣告，4XX 段具有數字之分欄名稱

-->

<xsd:complexType name="tag400Type" id="400Type">

<xsd:sequence>

<xsd:element name="_1" maxOccurs="unbounded" ncl:chiName="相關之資

料欄位" ncl:engName="Any Data Field"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<!--

5XX 「相關題名段」欄位內容宣告

-->

<xsd:complexType name="tag500Type" id="500Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="劃一題名" ncl:engName="Uniform
Title"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="編次" ncl:engName="Numder of Section or Part"/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="編次名稱" ncl:engName="Name of Section or Part"/>

<xsd:element name="_k" minOccurs="0" ncl:chiName="出版日期"
ncl:engName="Date of Publication"/>

<xsd:element name="_l" minOccurs="0" ncl:chiName="形式副標目"
ncl:engName="Form Subheading"/>

<xsd:element name="_m" minOccurs="0" ncl:chiName="作品語文"
ncl:engName="Language (when part of a heading) "/>

<xsd:element name="_n" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="其他" ncl:engName="Miscellaneous Information"/>

<xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"

ncl:engName="Chuan"/>

<xsd:element name="_q" minOccurs="0" ncl:chiName="版本 (或版本日期) "

ncl:engName="Version (or Date of Version) "/>

<xsd:element name="_s" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="作品號" ncl:engName="Numeric Designation (for Music) "/>

<xsd:element name="_t" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="媒體" ncl:engName="Medium of Performance (for Music) "/>

<xsd:element name="_u" minOccurs="0" ncl:chiName="調性 (適用於音樂資

料) " ncl:engName="Key (for Music) "/>

<xsd:element name="_v" minOccurs="0" ncl:chiName="冊次號"

ncl:engName="Volume Designation"/>

<xsd:element name="_w" minOccurs="0" ncl:chiName="編曲"

ncl:engName="Arranged Statement (for Music) "/>

<xsd:element name="_x" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="主題複分" ncl:engName="Topical Subdivision"/>

<xsd:element name="_y" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="地區複分" ncl:engName="Geographical Subdivision"/>

<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="時代複分" ncl:engName="Chronological Subdivision"/>

<xsd:element name="_2" minOccurs="0" ncl:chiName="標題系統代碼"

ncl:engName="System Code"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"

ncl:engName="Romanization of Uniform Title"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag501Type" id="501Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="總集劃一題名"

ncl:engName="Collective Uniform Title"/>

<xsd:element name="_e" minOccurs="0" ncl:chiName="總集劃一副題名"

ncl:engName="Collective Uniform Subtitle"/>

<xsd:element name="_k" minOccurs="0" ncl:chiName="出版日期"

ncl:engName="Date of Publication, etc."/>

<xsd:element name="_m" minOccurs="0" ncl:chiName="作品語文"

ncl:engName="Language (when part of heading) "/>

<xsd:element name="_s" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="作品號(適用於音樂資料)" ncl:engName="Numeric Designation(for Music)

"/>

<xsd:element name="_t" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="媒體(適用於音樂資料)" ncl:engName="Medium of Performance(for Music)

"/>

<xsd:element name="_u" minOccurs="0" ncl:chiName="調性 (適用於音樂資

料)" ncl:engName="Key (for Music) "/>

<xsd:element name="_w" minOccurs="0" ncl:chiName="編曲 (適用於音樂資

料)" ncl:engName="Arranged Statement (for Music) "/>

<xsd:element name="_x" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="主題複分" ncl:engName="Topical Subdivision"/>

<xsd:element name="_y" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="地區複分" ncl:engName="Geographical Subdivision"/>

<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="時代複分" ncl:engName="Chronological Subdivision"/>

<xsd:element name="_2" minOccurs="0" ncl:chiName="標題系統代碼"

ncl:engName="System Code"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"

ncl:engName="Romanization of Uniform Title"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag503Type" id="503Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="正標目" ncl:engName="Form

Heading Proper"/>

<xsd:element name="_b" minOccurs="0" ncl:chiName="副標目"

ncl:engName="Form Subheading"/>

<xsd:element name="_d" type="xsd:gMonthDay" minOccurs="0"

ncl:chiName="月日" ncl:engName="Month and Day"/>

<xsd:element name="_e" minOccurs="0" ncl:chiName="著者姓氏"

ncl:engName="Surname of person"/>

<xsd:element name="_f" minOccurs="0" ncl:chiName="著者名字"

ncl:engName="Forename"/>

<xsd:element name="_h" minOccurs="0" ncl:chiName="著者修飾詞"

ncl:engName="Personal Name Qualifier"/>

<xsd:element name="_i" minOccurs="0" ncl:chiName="標目中之題名"

ncl:engName="Title of Part"/>

<xsd:element name="_j" minOccurs="0" ncl:chiName="年代"

ncl:engName="Year"/>

<xsd:element name="_k" type="xsd:integer" minOccurs="0" ncl:chiName="阿

拉伯數字" ncl:engName="Numeration (Arabic) "/>

<xsd:element name="_l" minOccurs="0" ncl:chiName="羅馬數字"

ncl:engName="Numeration (Roman) "/>

<xsd:element name="_m" minOccurs="0" ncl:chiName="機構所在地"

ncl:engName="Locality"/>

<xsd:element name="_n" minOccurs="0" ncl:chiName="機構名稱"

ncl:engName="Institution in Locality"/>

<xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"

ncl:engName="Chuan"/>

<xsd:element name="_v" minOccurs="0" ncl:chiName="冊次號"

ncl:engName="Volume Designation"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"

ncl:engName="Romanization of Uniform Title"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" " />

</xsd:complexType>

<xsd:complexType name="tag510Type" id="510Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="並列題名" ncl:engName="Parallel

Title"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="副題名" ncl:engName="Other Title Information"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次" ncl:engName="Number of Part"/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次名稱" ncl:engName="Name of Part"/>

<xsd:element name="_j" minOccurs="0" ncl:chiName="卷號或日期"

ncl:engName="Volume or Dates Associated with Title"/>

<xsd:element name="_n" minOccurs="0" ncl:chiName="其他"

ncl:engName="Miscellaneous Information"/>

<xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"

ncl:engName="Chuan"/>

<xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"

ncl:engName="Language of Title"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"

ncl:engName="Romanization of Parallel Title"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag512Type" id="512Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="封面題名" ncl:engName="Cover

Title"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="副題名" ncl:engName="Other Title Information"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次" ncl:engName="Number of part"/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次名稱" ncl:engName="Name of part"/>

<xsd:element name="_j" minOccurs="0" ncl:chiName="卷號或日期"

ncl:engName="Volume or Dates Associated with Title"/>

<xsd:element name="_n" minOccurs="0" ncl:chiName="其他說明"

ncl:engName="Miscellaneous Information"/>

<xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"

ncl:engName="Chuan"/>

<xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"

ncl:engName="Language or Title"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"

ncl:engName="Romanization of Cover Title"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag513Type" id="513Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="附加書名頁題名"

ncl:engName="Added Title-page Title"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="副題名" ncl:engName="Other Title Information"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次" ncl:engName="Number of Part"/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次名稱" ncl:engName="Name of Part"/>

<xsd:element name="_j" minOccurs="0" ncl:chiName="卷號或日期"

ncl:engName="Volume or Dates Associated with Title"/>

<xsd:element name="_n" minOccurs="0" ncl:chiName="其他"

ncl:engName="Miscellaneous Information"/>

<xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"

ncl:engName="Chuan"/>

<xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"

ncl:engName="Language of Title"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"

ncl:engName="Romanization of Added Title-page Title"/>


```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag514Type" id="514Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" ncl:chiName="卷端題名" ncl:engName="Caption
```

```
Title"/>
```

```
<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="副題名" ncl:engName="Other Title Information"/>
```

```
<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="編次" ncl:engName="Number or Part"/>
```

```
<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="編次名稱" ncl:engName="Name of Part"/>
```

```
<xsd:element name="_j" minOccurs="0" ncl:chiName="卷號或日期"
```

```
ncl:engName="Volume or Dates Associated with Title"/>
```

```
<xsd:element name="_n" minOccurs="0" ncl:chiName="其他"
```

```
ncl:engName="Miscellaneous Information"/>
```

```
<xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"
```

ncl:engName="Chuan"/>

<xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"

ncl:engName="Language of Title"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"

ncl:engName="Romanization of Caption Title"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag515Type" id="515Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="逐頁題名" ncl:engName="Running
Title"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="副題名" ncl:engName="Other Title Information"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次" ncl:engName="Number of Part"/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次名稱" ncl:engName="Name of Part"/>

<xsd:element name="_j" minOccurs="0" ncl:chiName="卷號或日期"

ncl:engName="Volume or Dates Associated with Title"/>

<xsd:element name="_n" minOccurs="0" ncl:chiName="其他"

ncl:engName="Miscellaneous Information"/>

<xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"

ncl:engName="Chuan"/>

<xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"

ncl:engName="Language of Title"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"

ncl:engName="Romanization of Running Title"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag516Type" id="516Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="書背題名" ncl:engName="Spine

Title"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="副題名" ncl:engName="Other Title Information"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次" ncl:engName="Number of Part"/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次名稱" ncl:engName="Name of Part"/>

<xsd:element name="_j" minOccurs="0" ncl:chiName="卷號或日期"

ncl:engName="Volume or Dates Associated with Title"/>

<xsd:element name="_n" minOccurs="0" ncl:chiName="其他"

ncl:engName="Miscellaneous Information"/>

<xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"

ncl:engName="Chuan"/>

<xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"

ncl:engName="Language of Title"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"

ncl:engName="Romanization of Spine Title"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

```
<xsd:complexType name="tag517Type" id="517Type">
```

```
  <xsd:sequence>
```

```
    <xsd:element name="_a" ncl:chiName="其他題名" ncl:engName="Variant  
Title"/>
```

```
    <xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"  
ncl:chiName="副題名" ncl:engName="Other Title Information"/>
```

```
    <xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"  
ncl:chiName="編次" ncl:engName="Number of Part"/>
```

```
    <xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"  
ncl:chiName="編次名稱" ncl:engName="Name of Part"/>
```

```
    <xsd:element name="_j" minOccurs="0" ncl:chiName="卷號或日期"  
ncl:engName="Volume or Dates Associated with Title"/>
```

```
    <xsd:element name="_n" minOccurs="0" ncl:chiName="其他"  
ncl:engName="Miscellaneous Information"/>
```

```
    <xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"  
ncl:engName="Chuan"/>
```

```
    <xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"  
ncl:engName="Language of Title"/>
```

```
    <xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"
```

ncl:engName="Romanization of Other Variant Titles"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag520Type" id="520Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="舊題名" ncl:engName="Former Title

Proper"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="副題名" ncl:engName="Other Title Information"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次" ncl:engName="Number of Part"/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次名稱" ncl:engName="Name of Part"/>

<xsd:element name="_j" minOccurs="0" ncl:chiName="卷號或日期"

ncl:engName="Volumes or Dates of Former Title"/>

<xsd:element name="_n" minOccurs="0" ncl:chiName="其他"

ncl:engName="Miscellaneous Information"/>

```
<xsd:element name="_x" minOccurs="0" ncl:chiName="舊題名之 ISSN"
ncl:engName="ISSN of Former Title"/>
```

```
<xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"
ncl:engName="Language of Title"/>
```

```
<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"
ncl:engName="Romanization of Former Titles"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag530Type" id="530Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" ncl:chiName="識別題名" ncl:engName="Key
Title"/>
```

```
<xsd:element name="_b" minOccurs="0" ncl:chiName="區別字樣"
ncl:engName="Qualifier"/>
```

```
<xsd:element name="_j" minOccurs="0" ncl:chiName="卷號或日期"
ncl:engName="Volume or Dates Associated with Key Title"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag531Type" id="531Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" ncl:chiName="簡略題名"
```

```
ncl:engName="Abbreviated Title"/>
```

```
<xsd:element name="_b" minOccurs="0" ncl:chiName="區別字樣"
```

```
ncl:engName="Qualifier"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag532Type" id="532Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" ncl:chiName="完整題名" ncl:engName="Expanded
```

```
Title"/>
```

```
<xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"
```

```
ncl:engName="Language of Title"/>
```



```
<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"
ncl:engName="Romanization of Expanded Titles"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag540Type" id="540Type">

  <xsd:sequence>

    <xsd:element name="_a" ncl:chiName="編目員附加題名"
ncl:engName="Additional Title"/>

    <xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"
ncl:engName="Language of Title"/>

    <xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"
ncl:engName="Romanization of Additional Title Supplied by Cataloguer"/>

  </xsd:sequence>

  <xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

  <xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag541Type" id="541Type">
```

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="編目員翻譯題名"

ncl:engName="Translated Title"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="副題名" ncl:engName="Other Title Information"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次" ncl:engName="Number of a Part"/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次名稱" ncl:engName="Name of Part"/>

<xsd:element name="_j" minOccurs="0" ncl:chiName="卷號或日期"

ncl:engName="Volumes or Dates of Translated Title"/>

<xsd:element name="_n" minOccurs="0" ncl:chiName="其他"

ncl:engName="Miscellaneous Information"/>

<xsd:element name="_p" minOccurs="0" ncl:chiName="卷數"

ncl:engName="Chuan"/>

<xsd:element name="_z" minOccurs="0" ncl:chiName="語文代碼"

ncl:engName="Language of Title"/>

<xsd:element name="_r" minOccurs="0" ncl:chiName="羅馬拼音"

ncl:engName="Romanization of Translated Title"/>

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" " />
```

```
</xsd:complexType>
```

```
<!--
```

```
6XX 「主題分析段」欄位內容宣告
```

```
-->
```

```
<xsd:complexType name="tag600Type" id="600Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" ncl:chiName="標目主體" ncl:engName="Entry
```

```
Element"/>
```

```
<xsd:element name="_b" minOccurs="0" ncl:chiName="副標目"
```

```
ncl:engName="Part of Name Other than Entry Element"/>
```

```
<xsd:element name="_c" minOccurs="0" ncl:chiName="年代以外之修飾語"
```

```
ncl:engName="Additions to Name Other than Dates"/>
```

```
<xsd:element name="_d" minOccurs="0" ncl:chiName="世代數"
```

```
ncl:engName="Roman Numerals"/>
```

```
<xsd:element name="_f" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="生卒年代" ncl:engName="Dates"/>
```

<xsd:element name="_g" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="副標目頭字語全名" ncl:engName="Expansion of Initials of Forename"/>

<xsd:element name="_s" minOccurs="0" ncl:chiName="朝代"

ncl:engName="Dynasty"/>

<xsd:element name="_x" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="主題複分" ncl:engName="Topical Subdivision"/>

<xsd:element name="_y" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="地區複分" ncl:engName="Geographical Subdivision"/>

<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="時代複分" ncl:engName="Chronological Subdivision"/>

<xsd:element name="_2" ncl:chiName="標題系統代碼"

ncl:engName="System Code"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag601Type" id="601Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="標目主體" ncl:engName="Entry
Element"/>

<xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="副標目" ncl:engName="Subdivision (or name if entered under place)"/>

<xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="修飾語" ncl:engName="Addition to Name or Qualifier"/>

<xsd:element name="_d" minOccurs="0" ncl:chiName="會議屆次"
ncl:engName="Number of Meeting and / or Number of Part of a Meeting"/>

<xsd:element name="_e" minOccurs="0" ncl:chiName="會議地點"
ncl:engName="Location of Meeting"/>

<xsd:element name="_f" minOccurs="0" ncl:chiName="會議日期"
ncl:engName="Date of Meeting"/>

<xsd:element name="_g" minOccurs="0" ncl:chiName="倒置部份"
ncl:engName="Inverted Element"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="其他部份名稱" ncl:engName="Part of Name Other than Entry Element and
Inverted Element"/>

<xsd:element name="_s" minOccurs="0" ncl:chiName="朝代"

ncl:engName="Dynasty"/>

<xsd:element name="_x" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="主題複分" ncl:engName="Topical Subdivision"/>

<xsd:element name="_y" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="地區複分" ncl:engName="Geographical Subdivision"/>

<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="時代複分" ncl:engName="Chronological Subdivision"/>

<xsd:element name="_2" ncl:chiName="標題系統代碼"

ncl:engName="System Code"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag602Type" id="602Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="標目主體" ncl:engName="Entry

Element"/>

<xsd:element name="_f" minOccurs="0" ncl:chiName="家族年代"

ncl:engName="Dates"/>

<xsd:element name="_x" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="主題複分" ncl:engName="Topical Subdivision"/>

<xsd:element name="_y" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="地區複分" ncl:engName="Geographical Subdivision"/>

<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="時代複分" ncl:engName="Chronological Subdivision"/>

<xsd:element name="_2" ncl:chiName="標題系統代碼"

ncl:engName="System Code"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed="" />

<xsd:attribute name="ind2" use="required" fixed="" />

</xsd:complexType>

<xsd:complexType name="tag604Type" id="604Type">

<xsd:sequence>

<xsd:element name="_1" maxOccurs="unbounded" ncl:chiName="相關之資

料欄位" ncl:engName="Linking Data"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed="" />

<xsd:attribute name="ind2" use="required" fixed="" />

</xsd:complexType>

<xsd:complexType name="tag605Type" id="605Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="標目主體" ncl:engName="Entry

Element"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次" ncl:engName="Number of Section or Part"/>

<xsd:element name="_i" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編次名稱" ncl:engName="Name of Section or Part"/>

<xsd:element name="_k" minOccurs="0" ncl:chiName="出版日期"

ncl:engName="Date of Publication"/>

<xsd:element name="_l" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="形式副標目" ncl:engName="Form Subheading"/>

<xsd:element name="_m" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="作品語文" ncl:engName="Language (when part of heading)"/>


```
<xsd:element name="_q" minOccurs="0" ncl:chiName="譯本 / 版本"
ncl:engName="Version ( or date of version ) "/>

<xsd:element name="_n" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="其他" ncl:engName="Miscellaneous Information"/>

<xsd:element name="_x" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="主題複分" ncl:engName="Topical Subdivision"/>

<xsd:element name="_y" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="地區複分" ncl:engName="Geographical Subdivision"/>

<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="時代複分" ncl:engName="Chronological Subdivision"/>

<xsd:element name="_2" ncl:chiName="標題系統代碼"
ncl:engName="System Code"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"
ncl:engName="Authority Record Number"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed="" />

<xsd:attribute name="ind2" use="required" fixed="" />

</xsd:complexType>

<xsd:complexType name="tag606Type" id="606Type">
```

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="標目主體" ncl:engName="Entry

Element"/>

<xsd:element name="_x" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="主題複分" ncl:engName="Topical Subdivision"/>

<xsd:element name="_y" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="地區複分" ncl:engName="Geographical Subdivision"/>

<xsd:element name="_z" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="時代複分" ncl:engName="Chronological Subdivision"/>

<xsd:element name="_2" ncl:chiName="標題系統代碼"

ncl:engName="System Code"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed="" />

<xsd:attribute name="ind2" use="required" fixed="" />

</xsd:complexType>

<xsd:complexType name="tag608Type" id="608Type">

<xsd:sequence>

```
<xsd:element name="_a" ncl:chiName="檢索名稱" ncl:engName="Access  
Terms"/>
```

```
<xsd:element name="_x" minOccurs="0" maxOccurs="unbounded"  
ncl:chiName="檢索名稱複分" ncl:engName="General Subdivision"/>
```

```
<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"  
ncl:engName="Authority Record Number"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>
```

```
<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag610Type" id="610Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" maxOccurs="unbounded" ncl:chiName="標目主體"  
ncl:engName="Subject Term"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" "/>
```

```
<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag620Type" id="620Type">
```

<xsd:sequence>

<xsd:element name="_a" minOccurs="0" ncl:chiName="國名"

ncl:engName="Country"/>

<xsd:element name="_b" minOccurs="0" ncl:chiName="州 (省) 名"

ncl:engName="State or Province etc."/>

<xsd:element name="_c" minOccurs="0" ncl:chiName="郡 (縣) 名"

ncl:engName="County"/>

<xsd:element name="_d" minOccurs="0" ncl:chiName="市名"

ncl:engName="City"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag626Type" id="626Type">

<xsd:sequence>

<xsd:element name="_a" minOccurs="0" ncl:chiName="電腦機型"

ncl:engName="Make and Model of Machines"/>

<xsd:element name="_b" minOccurs="0" ncl:chiName="程式語言"

ncl:engName="Make and Model of Machines"/>

```
<xsd:element name="_c" minOccurs="0" ncl:chiName="操作系統名稱"
ncl:engName="Operating System"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag660Type" id="660Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="代碼" ncl:engName="Code"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag661Type" id="661Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="代碼" ncl:engName="Time Period
Code"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag670Type" id="670Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" minOccurs="0" ncl:chiName="主題代號"
```

```
ncl:engName="Subject Indicator Number"/>
```

```
<xsd:element name="_c" minOccurs="0" ncl:chiName="字串"
```

```
ncl:engName="String"/>
```

```
<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="主題參照代號" ncl:engName="Reference Indicator Number"/>
```

```
<xsd:element name="_z" minOccurs="0" ncl:chiName="主題語文代碼"
```

```
ncl:engName="Language of Terms"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed=" "/>
```

```
<xsd:attribute name="ind2" use="required" fixed=" "/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag675Type" id="675Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" ncl:chiName="分類號" ncl:engName="Number"/>
```

<xsd:element name="_v" minOccurs="0" ncl:chiName="版本"

ncl:engName="Edition"/>

<xsd:element name="_z" minOccurs="0" ncl:chiName="版本語文"

ncl:engName="Language of Edition"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag676Type" id="676Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="分類號" ncl:engName="Class

Number"/>

<xsd:element name="_v" minOccurs="0" ncl:chiName="版本"

ncl:engName="Edition"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag680Type" id="680Type">

```
<xsd:sequence>

    <xsd:element name="_a" ncl:chiName="分類號" ncl:engName="Class
Number"/>

    <xsd:element name="_b" minOccurs="0" ncl:chiName="書號"
ncl:engName="Book Number"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag681Type" id="681Type">

    <xsd:sequence>

        <xsd:element name="_a" ncl:chiName="分類號" ncl:engName="Class
Number"/>

        <xsd:element name="_b" minOccurs="0" ncl:chiName="書號"
ncl:engName="Book Number"/>

        <xsd:element name="_v" minOccurs="0" ncl:chiName="版本"
ncl:engName="Edition"/>

    </xsd:sequence>

    <xsd:attribute name="ind1" use="required" fixed=" "/>
```



```
<xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<xsd:complexType name="tag687Type" id="687Type">

  <xsd:sequence>

    <xsd:element name="_a" maxOccurs="unbounded" ncl:chiName="分類號"
ncl:engName="Class Number"/>

    <xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="書號" ncl:engName="Book Number"/>

    <xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="複分" ncl:engName="Classification Subdivision"/>

    <xsd:element name="_d" minOccurs="0" ncl:chiName="分類系統代碼"
ncl:engName="System Code"/>

  </xsd:sequence>

  <xsd:attribute name="ind1" use="required" fixed=" "/>

  <xsd:attribute name="ind2" use="required" fixed=" "/>

</xsd:complexType>

<!--

      7XX 「著者段」欄位內容宣告

-->
```

<!-- 1. 個人作者 -->

<xsd:complexType name="tag700Type" id="700Type">

<xsd:sequence>

<xsd:element name="_a" maxOccurs="unbounded" ncl:chiName="標目主體"

ncl:engName="Entry Element"/>

<xsd:element name="_b" minOccurs="0" ncl:chiName="副標目"

ncl:engName="Part of Name Other than Element"/>

<xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="年代以外之修飾語" ncl:engName="Additions to Names Other than Dates"/>

<xsd:element name="_d" minOccurs="0" ncl:chiName="世代數"

ncl:engName="Roman Numerals"/>

<xsd:element name="_f" minOccurs="0" ncl:chiName="生卒年代"

ncl:engName="Dates"/>

<xsd:element name="_g" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="副標目頭字語全名" ncl:engName="Expansion of Initials of Forename"/>

<xsd:element name="_s" minOccurs="0" ncl:chiName="朝代"

ncl:engName="Dynasty"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

```

        <xsd:element name="_4" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="著作方式" ncl:engName="Designation of Function"/>

    </xsd:sequence>

    <xsd:attribute name="ind1" use="required" fixed=" "/>

    <xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag770Type" id="770Type">

    <xsd:sequence>

        <xsd:element name="_a" maxOccurs="unbounded" ncl:chiName="標目主體"
ncl:engName="Entry Element"/>

        <xsd:element name="_b" minOccurs="0" ncl:chiName="副標目"
ncl:engName="Part of Name Other than Entry"/>

        <xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="年代以外之修飾語" ncl:engName="Additions to Name Other than Dates"/>

        <xsd:element name="_d" minOccurs="0" ncl:chiName="世代數"
ncl:engName="Roman Numerals"/>

        <xsd:element name="_f" minOccurs="0" ncl:chiName="生卒年代"
ncl:engName="Dates"/>

        <xsd:element name="_g" minOccurs="0" ncl:chiName="副標目頭字語全名"

```

ncl:engName="Expansion of Initials of Forename"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

<xsd:element name="_4" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="著作方式" ncl:engName="Designation of Function"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag702Type" id="702Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="標目主體" ncl:engName="Entry

Element"/>

<xsd:element name="_b" minOccurs="0" ncl:chiName="副標目"

ncl:engName="Part of Name Other than Element"/>

<xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="年代以外之修飾語" ncl:engName="Additions to Names Other than Dates"/>

<xsd:element name="_d" minOccurs="0" ncl:chiName="世代數"

ncl:engName="Roman Numerals"/>

<xsd:element name="_f" minOccurs="0" ncl:chiName="生卒年代"

ncl:engName="Dates"/>

<xsd:element name="_g" minOccurs="0" ncl:chiName="副標目頭字語全名"

ncl:engName="Expansion of Initials of Forename"/>

<xsd:element name="_s" minOccurs="0" ncl:chiName="朝代"

ncl:engName="Dynasty"/>

<xsd:element name="_t" minOccurs="0" ncl:chiName="題名"

ncl:engName="Title"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

<xsd:element name="_4" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="著作方式" ncl:engName="Designation of Function"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" "/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<!-- 2. 圖體作者 -->

<xsd:complexType name="tag710Type" id="710Type">

<xsd:sequence>

```
<xsd:element name="_a" ncl:chiName="標目主體" ncl:engName="Entry
Element"/>

<xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="副標目" ncl:engName="Subdivision"/>

<xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="修飾語" ncl:engName="Addition to Name or Qualifier"/>

<xsd:element name="_d" minOccurs="0" ncl:chiName="會議屆次"
ncl:engName="Number of Meeting and / or Number of Part of Meeting"/>

<xsd:element name="_e" minOccurs="0" ncl:chiName="會議地點"
ncl:engName="Location of Meeting"/>

<xsd:element name="_f" minOccurs="0" ncl:chiName="會議日期"
ncl:engName="Date of Meeting"/>

<xsd:element name="_g" minOccurs="0" ncl:chiName="倒置部份"
ncl:engName="Inverted Element"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="其他部份名稱" ncl:engName="Part of Name Other than Entry Element and
Inverted Element"/>

<xsd:element name="_s" minOccurs="0" ncl:chiName="朝代"
ncl:engName="Dynasty"/>
```

```

        <xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"
ncl:engName="Authority Record Number"/>

        <xsd:element name="_4" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="著作方式" ncl:engName="Designation of Function"/>

    </xsd:sequence>

    <xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

    <xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag780Type" id="780Type">

    <xsd:sequence>

        <xsd:element name="_a" ncl:chiName="標目主體" ncl:engName="Entry
Element"/>

        <xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="副標目" ncl:engName="Subdivision ( or name if entered under place )"/>

        <xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"
ncl:chiName="修飾語" ncl:engName="Addition to Name or Qualifier"/>

        <xsd:element name="_d" minOccurs="0" ncl:chiName="會議屆次"
ncl:engName="Numder of Meeting"/>

        <xsd:element name="_e" minOccurs="0" ncl:chiName="會議地點"

```

ncl:engName="Location of Meeting"/>

<xsd:element name="_f" minOccurs="0" ncl:chiName="會議日期"

ncl:engName="Date of Meeting"/>

<xsd:element name="_g" minOccurs="0" ncl:chiName="倒置部份"

ncl:engName="Inverted Element"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="其他部份名稱" ncl:engName="Part of Name Other than Entry Element and
Inverted Element"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

<xsd:element name="_4" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="著作方式" ncl:engName="Designation of Function"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<xsd:complexType name="tag712Type" id="712Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="標目主體" ncl:engName="Entry

Element"/>

<xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="副標目" ncl:engName="Subdivision"/>

<xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="修飾語" ncl:engName="Addition to Name or Qualifier"/>

<xsd:element name="_d" minOccurs="0" ncl:chiName="會議屆次"

ncl:engName="Number of Meeting and / or Number of Part of Meeting"/>

<xsd:element name="_e" minOccurs="0" ncl:chiName="會議地點"

ncl:engName="Location of Meeting"/>

<xsd:element name="_f" minOccurs="0" ncl:chiName="會議日期"

ncl:engName="Date of Meeting"/>

<xsd:element name="_g" minOccurs="0" ncl:chiName="倒置部份"

ncl:engName="Inverted Element"/>

<xsd:element name="_h" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="其他部份名稱" ncl:engName="Part of Name Other than Entry Element and

Inverted Element"/>

<xsd:element name="_s" minOccurs="0" ncl:chiName="朝代"

ncl:engName="Dynasty"/>

<xsd:element name="_t" minOccurs="0" ncl:chiName="題名"

ncl:engName="Title"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

<xsd:element name="_4" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="著作方式" ncl:engName="Designation of Function"/>

</xsd:sequence>

<xsd:attribute name="ind1" type="indicatorDataType" use="required"/>

<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>

</xsd:complexType>

<!-- 3. 家族作者 -->

<xsd:complexType name="tag720Type" id="720Type">

<xsd:sequence>

<xsd:element name="_a" ncl:chiName="標目主體" ncl:engName="Entry

Element"/>

<xsd:element name="_f" minOccurs="0" ncl:chiName="家族年代"

ncl:engName="Dates"/>

<xsd:element name="_3" minOccurs="0" ncl:chiName="權威記錄號碼"

ncl:engName="Authority Record Number"/>

<xsd:element name="_4" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="著作方式" ncl:engName="Designation of Function"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" " />

<xsd:attribute name="ind2" use="required" fixed=" " />

</xsd:complexType>

<!--

8XX 「國際使用段」欄位內容宣告

-->

<xsd:complexType name="tag801Type" id="801Type">

<xsd:sequence>

<xsd:element name="_a" minOccurs="0" ncl:chiName="國家代碼"

ncl:engName="Country" />

<xsd:element name="_b" minOccurs="0" ncl:chiName="單位簡稱 / 代碼"

ncl:engName="Agency"/>

<xsd:element name="_c" minOccurs="0" ncl:chiName="處理日期"

ncl:engName="Date of Transaction"/>

<xsd:element name="_g" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編目規則代碼" ncl:engName="Cataloguing Rules(Descriptive Conventions)

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed="" />
```

```
<xsd:attribute name="ind2" type="indicatorDataType" use="required"/>
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag802Type" id="802Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" ncl:chiName="中心代碼" ncl:engName="ISDS
```

```
Centre Code"/>
```

```
</xsd:sequence>
```

```
<xsd:attribute name="ind1" use="required" fixed="" />
```

```
<xsd:attribute name="ind2" use="required" fixed="" />
```

```
</xsd:complexType>
```

```
<xsd:complexType name="tag805Type" id="805Type">
```

```
<xsd:sequence>
```

```
<xsd:element name="_a" minOccurs="0" ncl:chiName="單位簡稱 / 代碼"
```

```
ncl:engName="Agency Code"/>
```

```
<xsd:element name="_b" minOccurs="0" maxOccurs="unbounded"
```

```
ncl:chiName="次層單位簡稱 / 代碼" ncl:engName="Sublocation"/>
```

```
<xsd:element name="_c" minOccurs="0" maxOccurs="unbounded"
```

ncl:chiName="登錄號" ncl:engName="Accession Number"/>

<xsd:element name="_d" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="分類號" ncl:engName="Class Number"/>

<xsd:element name="_e" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="書號" ncl:engName="Book Number"/>

<xsd:element name="_f" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="編目者、審核者等" ncl:engName="Cataloger"/>

<xsd:element name="_g" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="卷期名稱" ncl:engName="Name of Volume, Number"/>

<xsd:element name="_m" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="缺期" ncl:engName="Lacking Volume"/>

<xsd:element name="_n" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="註記" ncl:engName="Remark"/>

<xsd:element name="_p" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="特藏符號" ncl:engName="Prefix"/>

<xsd:element name="_t" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="分類系統代碼" ncl:engName="Code of Classification System"/>

<xsd:element name="_v" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="版本" ncl:engName="Edition"/>

<xsd:element name="_y" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="日期 (年、月)、冊次號、年代號" ncl:engName="Date (year, month) "/>

<xsd:element name="_1" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="卷期層次" ncl:engName="Level of Volume Number"/>

<xsd:element name="_2" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="卷期層次" ncl:engName="Level of Volume Number"/>

<xsd:element name="_3" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="卷期層次" ncl:engName="Level of Volume Number"/>

<xsd:element name="_4" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="卷期層次" ncl:engName="Level of Volume Number"/>

<xsd:element name="_5" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="卷期層次" ncl:engName="Level of Volume Number"/>

<xsd:element name="_6" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="卷期層次" ncl:engName="Level of Volume Number"/>

<xsd:element name="_7" minOccurs="0" maxOccurs="unbounded"

ncl:chiName="卷期層次" ncl:engName="Level of Volume Number"/>

</xsd:sequence>

<xsd:attribute name="ind1" use="required" fixed=" " />

<xsd:attribute name="ind2" use="required" fixed=" " />

```
</xsd:complexType>
```

```
<!--
```

```
@@
```

```
通用定義區
```

```
@@
```

```
-->
```

```
<!-- 各 Tag 欄位非空格之指標定義 -->
```

```
<xsd:simpleType name="indicatorDataType" id="ind.st">
```

```
    <xsd:restriction base="xsd:string">
```

```
        <xsd:whiteSpace value="preserve"/>
```

```
        <xsd:pattern value="[d| ]{1}"/>
```

```
    </xsd:restriction>
```

```
</xsd:simpleType>
```

```
<!-- collection, record 元素使用 -->
```

```
<xsd:simpleType name="idDataType" id="id.st">
```

```
    <xsd:restriction base="xsd:ID"/>
```

```
</xsd:simpleType>
```

```
</xsd:schema>
```